

ICS 321 Fall 2011

The Database Language SQL (i)

Asst. Prof. Lipyeow Lim

Information & Computer Science Department

University of Hawaii at Manoa

Example Relations

- Sailors(
sid: integer,
sname: string,
rating: integer,
age: real)
- Boats(
bid: integer,
bname: string,
color: string)
- Reserves(
sid: integer,
bid: string,
day: date)

<u>sid</u>	<u>bid</u>	<u>day</u>
22	101	10/10/96
58	103	11/12/96

<u>sid</u>	sname	rating	age
22	Dustin	7	45.0
31	Lubber	8	55.5
58	Rusty	10	35.0

<u>bid</u>	bname	color
101	Interlake	Blue
102	Interlake	Red
103	Clipper	green
104	Marine	Red

Basic SQL Query

```
SELECT [ DISTINCT ] target-list  
FROM      relation-list  
WHERE     qualification
```

- *relation-list* A list of relation names (possibly with a *range-variable* after each name).
- *target-list* A list of attributes of relations in *relation-list*
- *qualification* Comparisons (Attr *op* const or Attr1 *op* Attr2, where *op* is one of <, >, ≤, ≥, =, ≠) combined using AND, OR and NOT.
- **DISTINCT** is an optional keyword indicating that the answer should not contain duplicates. Default is that duplicates are not eliminated!

Example Q1

```
SELECT S.sname  
FROM   Sailors S, Reserves R  
WHERE  S.sid=R.sid AND bid=103
```

Without range variables

```
SELECT sname  
FROM   Sailors, Reserves  
WHERE  Sailors.sid=Reserves.sid  
        AND bid=103
```

- Range variables really needed only if the same relation appears twice in the FROM clause.
- Good style to always use range variables

Conceptual Evaluation Strategy

- Semantics of an SQL query defined in terms of the following *conceptual* evaluation strategy:
 1. Compute the cross-product of *relation-list*.
 2. Discard resulting tuples if they fail *qualifications*.
 3. Delete attributes that are not in *target-list*.
 4. If **DISTINCT** is specified, eliminate duplicate rows.
- This strategy is probably the least efficient way to compute a query! An optimizer will find more efficient strategies to compute *the same answers*.

Example Q1: conceptual evaluation

```
SELECT S.sname
FROM   Sailors S, Reserves R
WHERE  S.sid=R.sid AND bid=103
```

S.sid	sname	rating	age	R.sid	bid	day
22	Dustin	7	45	22	101	10/10/96
22	Dustin	7	45	58	103	11/12/96
31	Lubber	8	55.5	22	101	10/10/96
31	Lubber	8	55.5	58	103	11/12/96
58	Rusty	10	35.0	22	101	10/10/96
58	Rusty	10	35.0	58	103	11/12/96

S.sid	sname	rating	age	R.sid	bid	day
58	Rusty	10	35.0	58	103	11/12/96

Conceptual Evaluation Steps:

1. Compute cross-product
2. Discard disqualified tuples
3. Delete unwanted attributes
4. If **DISTINCT** is specified, eliminate duplicate rows.

sname
Rusty

Q2: Find sailors who've reserved at least one boat

```
SELECT S1.sid  
FROM    Sailors S1, Reserves R1  
WHERE   S1.sid=R1.sid
```

<u>sid</u>	<u>bid</u>	<u>day</u>
22	101	10/10/96
58	103	11/12/96

<u>sid</u>	sname	rating	age
22	Dustin	7	45.0
31	Lubber	8	55.5
58	Rusty	10	35.0

- Would adding DISTINCT to this query make a difference?
- What is the effect of replacing *S.sid* by *S.sname* in the SELECT clause? Would adding DISTINCT to this variant of the query make a difference?

Q3: Find the colors of boats reserved by Lubber

```
SELECT B1.color
FROM    Sailors S1, Reserves R1,
          Boats B1
WHERE   S1.sid=R1.sid
          AND R1.bid=B1.bid
          AND S1.sname='Lubber'
```

R1	<u>sid</u>	<u>bid</u>	<u>day</u>
	22	101	10/10/96
	58	103	11/12/96

S1	<u>sid</u>	sname	rating	age
	22	Dustin	7	45.0
	31	Lubber	8	55.5
	58	Rusty	10	35.0

B1	<u>bid</u>	bname	color
	101	Interlake	Blue
	102	Interlake	Red
	103	Clipper	green
	104	Marine	Red

Expressions

- WHERE-qualification can contain expressions
- SELECT-list can also contain arithmetic or string expressions over the column names
- Example: compute a new “age adjusted” rating for each sailor whose rating satisfies a special formula

```
SELECT S1.sname,  
        S1.rating * S1.age / 100  
        AS NewRating  
FROM   Sailors S1  
WHERE  S1.rating – 5.0 > S1.age /  
12.0
```

S1

<u>sid</u>	sname	rating	age
22	Dustin	7	45.0
31	Lubber	8	55.5
58	Rusty	10	35.0

NULLs

```
SELECT S1.sname,  
FROM   Sailors S1  
WHERE  S1.rating - 5.0 > 0
```

S1

<u>sid</u>	sname	rating	age
22	Dustin	NULL	45.0
31	Lubber	8	55.5
58	Rusty	10	35.0

- The result of any arithmetic operator $+, -, /, \times$ involving a NULL is always **NULL**
- The result of any comparison operator like $=, >, <$ is always **UNKNOWN**

The “UNKNOWN” truth-value

X	Y	X AND Y	X OR Y	NOT X
T	T	T	T	F
T	U	U	T	F
T	F	F	T	F
U	T	U	T	U
U	U	U	U	U
U	F	F	U	U
F	T	F	T	T
F	U	F	U	T
F	F	F	F	T

- If TRUE = 1, False = 0, UNKNOWN=0.5
 - AND : min, OR : max, NOT : 1-v

Strings & Pattern Matching

- String comparisons via the comparisons operators (<, >, =, etc), but take note of collations
 - i.e. determines the ordering. Lexicographic, languages etc
- SQL supports pattern matching via the **LIKE** operator and wildcards
 - ``%`` : zero or more arbitrary chars
 - ``_`` : any one char

```
SELECT S1.sname, S1.rating
FROM    Sailors S1
WHERE   S1.sname LIKE `L_%`
```

S1

<u>sid</u>	sname	rating	age
22	Dustin	7	45.0
31	Lubber	8	55.5
58	Rusty	10	35.0

Date, Time, Timestamp

```
SELECT R*  
FROM Reserves R  
WHERE R.day = DATE '2010-10-02'
```

Cast

Date string

- Dates and time constants are specified using strings and “cast” into the date/time datatypes using functions.

```
TIME '15:00:02.5'  
TIMESTAMP '2010-10-02 15:00:02'
```

Ordering the Output

```
SELECT S1.sname, S1.rating  
FROM    Sailors S1  
ORDER BY S1.rating DESC
```

- ORDER BY clause sorts the result of the SQL query according to the given column(s).

S1

<u>sid</u>	sname	rating	age
22	Dustin	7	45.0
31	Lubber	8	55.5
58	Rusty	10	35.0

sname	rating
Rusty	10
Lubber	8
Dustin	7